518 387 7751 GE GLOBAL RESEARCH LE 05:45:26 p.m. 09-28-2009 2 /11

S.N. 10/723,318
Response to Office Action
Date of Office Action: May 28, 2009

Conf. No. 9461

135858

Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently amended) Apparatus for compressing tissue on a support during a medical imaging process to be scanned for medical imaging to generate a medical image, said apparatus comprising:
 - a tissue compression membrane that compresses the tissue between the membrane and the support during the medical imaging process and suited to minimize minimizes image distortion in the medical image; and
- a plurality of tensioning apparatuses coupled to said membrane to apply a tensile force to said membrane to place said membrane in a taut condition during an the medical imaging process;

wherein said tensioning apparatuses each comprises an inflatable bladder.

- 2. (Original) The apparatus of claim 1 further comprising a support frame configured to support at least one end of said compression membrane.
- 3. (Original) The apparatus of claim 2 wherein said support frame further supports said tensioning apparatus.
- 4. (Original) The apparatus of claim 2 wherein said tensioning apparatus comprises at least one tensioning device situated on one side of the frame, and configured to apply tensile force along an axis perpendicular to said frame side.
 - 5. (Canceled)

S.N. 10/723,318 Response to Office Action Date of Office Action: May 28, 2009 135858

Conf. No. 9461

- 6. (Previously presented) The apparatus of claim 4 wherein said inflatable bladder is at least in part responsive to one of the following commands for applying the tensile force: a hydraulic command and a pneumatic command.
- 7. (Original) The apparatus of claim 1 wherein said compression membrane has a thickness not exceeding 0.5 mm.
- 8. (Original) The apparatus of claim 1 wherein said compression membrane comprises a polymeric material.
- 9. (Original) The apparatus of claim 1 wherein said tissue comprises breast tissue and said imaging process is selected from the group consisting of ultrasound and X-ray mammography.
- 10. (Original) The apparatus of claim 1 wherein said tensioning apparatus comprises means for applying a respective tensile force to said compression membrane along a pair of mutually orthogonal axes that define a plane at least over a portion of said compression membrane.
- 11. (Currently amended) The apparatus of claim 10 Apparatus for compressing tissue on a support during a medical imaging process to generate a medical image, the apparatus comprising:
 - a tissue compression membrane that compresses the tissue between the membrane and the support during the medical imaging process and minimizes image distortion in the medical image; and
 - a plurality of tensioning apparatuses coupled to the membrane to apply a tensile force to the membrane to place the membrane in a taut condition during the medical imaging process;

wherein the tensioning apparatuses each comprises an inflatable bladder;

S.N. 10/723,318

135858

Response to Office Action

Date of Office Action: May 28, 2009

Conf. No. 9461

wherein the tensioning apparatus comprises means for applying a respective tensile force to the compression membrane along a pair of mutually orthogonal axes that define a plane at least over a portion of the compression membrane; and

wherein said the means for applying the tensile force along said the orthogonal axes include means for independently adjusting the magnitude of the tensile force along each of said the orthogonal axes, thus allowing to compensate for variation in size and/or shape of the tissue to be compressed.

12. (Currently amended) A method for compressing tissue to be scanned for medical imaging to generate a medical image, said method comprising:

providing a tissue compression membrane suited to minimize that minimizes image distortion in the medical image;

providing a plurality of inflatable bladders; and

applying a tensile force to said membrane to place said membrane in a taut condition during an imaging process;

wherein said tensile force is applied at least in part by said inflatable bladders, and wherein said inflatable bladders can be individually adjusted to selectively apply differing tensile forces to said compression membrane in two or more directions.

- 13. (Original) The method of claim 12 wherein said applying of the tensile force to the compression membrane comprises applying a respective tensile force to said compression membrane along a pair of mutually orthogonal axes that define a plane at least over a portion of said compression membrane.
- 14. (Original) The method of claim 13 wherein the applying of a respective tensile force along said orthogonal axes further comprises independently adjusting the magnitude of the tensile force along each of said orthogonal axes, thus allowing to compensate for variation in size and/or shape of the tissue to be compressed.
 - 15. (Currently amended) Medical imaging equipment for imaging tissue comprising:

GE GLOBAL RESEARCH LE

05:46:08 p.m. 09-28-2009

5/11

S.N. 10/723,318

518 387 7751

Response to Office Action

Date of Office Action: May 28, 2009

135858

Conf. No. 9461

apparatus for compressing the tissue on a support to be seanned during an a medical imaging process to generate a medical image, said apparatus comprising:

- a tissue compression membrane that compresses the tissue between the membrane and the support during the medical imaging process and suited to minimize minimizes image distortion in the medical image; and
- a plurality of tensioning apparatuses coupled to said membrane to apply a tensile force to said membrane to place said membrane in a taut condition during an imaging process;

wherein each of said tensioning apparatus comprises an inflatable bladder responsive to one of the following commands for applying the tensile force: a hydraulic command and a pneumatic command.

- 16. (Original) The medical imaging equipment of claim 15 wherein said tissue comprises breast tissue and said imaging equipment is selected from the group consisting of ultrasound imaging and X-ray mammography.
- 17. (Original) The medical imaging equipment of claim 15 wherein said tensioning apparatus comprises at least two tensioning devices arranged on a support frame to apply a respective tensile force to said compression membrane along a pair of mutually orthogonal axes.
- 18. (Currently amended) The medical imaging equipment of claim 17 Medical imaging equipment for imaging tissue comprising:

apparatus for compressing the tissue during a medical imaging process to generate a medical image, the apparatus comprising:

a tissue compression membrane that minimizes image distortion in the medical image; and

S.N. 10/723,318
Response to Office Action
Date of Office Action: May 28, 2009

Conf. No. 9461

135858

a plurality of tensioning apparatuses coupled to the membrane to apply a tensile force to the membrane to place the membrane in a taut condition during an imaging process;

wherein each of the tensioning apparatus comprises an inflatable bladder responsive to one of the following commands for applying the tensile force: a hydraulic command and a pneumatic command;

wherein at least one of the tensioning apparatus comprises at least two tensioning devices arranged on a support frame to apply a respective tensile force to the compression membrane along a pair of mutually orthogonal axes; and

wherein each of said the tensioning devices include a respective tension adjuster for independently adjusting the magnitude of the tensile force along each of said the orthogonal axes, thus allowing to compensate for variation in size and/or shape of the tissue to be compressed.

- 19. (Currently amended) The medical imaging equipment of claim 16-17 wherein each tensioning device comprises a movable tension plate responsive to a mechanical command for applying the tensile force.
- 20. (Currently amended) The medical imaging equipment of claim 17 wherein <u>each</u> tensioning apparatus comprises an <u>said</u> inflatable bladder is-responsive to a hydraulic command for applying the tensile force.
- 21. (Original) The medical imaging equipment of claim 15 wherein said compression membrane has a thickness not exceeding 0.5 mm.
- 22. (Original) The medical imaging equipment of claim 15 wherein said compression membrane comprises a polymeric material.